

Hello World!

PHP Version 4.4.4



System	Darwin RichCookHomeMac.local 8.10.0 Darwin Kernel Version 8.10.0: Wed May 23 16:50:59 PDT 2007; root:xnu-792.21.3~1/RELEASE_PPC Power Macintosh
Build Date	Jan 19 2007 19:17:07
Configure Command	'/SourceCache/apache_mod_php/apache_mod_php-18.8/php/configure' '--prefix=/usr' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--disable-dependency-tracking' '--with-apxs' '--with-ldap=/usr' '--with-kerberos=/usr' '--enable-cli' '--with-zlib-dir=/usr' '--enable-trans-sid' '--with-xml' '--enable-exif' '--enable-ftp' '--enable-mbstring' '--enable-mbregex' '--enable-dbx' '--enable-sockets' '--with-iodbc=/usr' '--with-curl=/usr' '--with-config-file-path=/etc' '--sysconfdir=/private/etc' '--with-mysql=/usr' '--with-mysql-sock=/var/mysql/mysql.sock' '--without-pear'
Server API	Apache
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/private/etc/php.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20050606
Debug Build	no
Zend Memory Manager	enabled
Thread Safety	disabled
Registered PHP Streams	php, http, ftp, compress.zlib

This program makes use of the Zend Scripting Language Engine:
Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>

disable_functions	no value	no value
display_errors	Off	On
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	On	On
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	2039	2039
expose_php	On	On
extension_dir	./	./
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	/Library/WebServer/Smarty-2.6.18/libs:/Library/WebServer/Documents/phpTodo/templates	/Library/WebServer/Smarty-2.6.18/libs:/Library/WebServer/Documents/phpTodo/templates
log_errors	On	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	90	30
max_input_time	60	60
open_basedir	no value	no value
output_buffering	no value	no value
output_handler	no value	no value
post_max_size	8M	8M
precision	12	12
register_argc_argv	On	On
register_globals	Off	On
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	Off	Off
safe_mode_include_dir	no value	no value
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off

track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	5M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

apache

APACHE_INCLUDE	<i>no value</i>
APACHE_TARGET	<i>no value</i>
Apache Version	Apache/1.3.33 (Darwin) PHP/4.4.4
Apache Release	10333100
Apache API Version	19990320
Hostname:Port	richcookhomemac.local:80
User/Group	www(70)/70
Max Requests	Per Child: 100000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Server Root	/usr
Loaded Modules	mod_WebObjects, mod_bonjour, mod_hfs_apple, mod_php4, mod_setenvif, mod_so, mod_log_forensic, mod_auth, mod_access, mod_rewrite, mod_alias, mod_userdir, mod_actions, mod_imap, mod_asis, mod_cgi, mod_dir, mod_autoindex, mod_include, mod_negotiation, mod_mime, mod_log_config, http_core

Directive	Local Value	Master Value
child_terminate	0	0
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
DOCUMENT_ROOT	/Library/WebServer/Documents
HTTP_ACCEPT	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	en
HTTP_CONNECTION	keep-alive
HTTP_COOKIE	PHPSESSID=1e254ed9e92104fac190f7f4a6818602
HTTP_HOST	www.email-me-if-you-need-myhostname.com
HTTP_IF_MODIFIED_SINCE	Sun, 22 Jul 2007 04:45:02 GMT
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/522.11 (KHTML, like Gecko) Version/3.0.2 Safari/522.12
PATH	/bin:/sbin:/usr/bin:/usr/sbin:/usr/libexec:/System/Library/CoreServices
REMOTE_ADDR	70.132.4.228
REMOTE_PORT	58089
SCRIPT_FILENAME	/Users/rcook/Sites/index.php
SCRIPT_URI	http://richcookhomemac.local/~rcook/index.php
SCRIPT_URL	/~rcook/index.php
SERVER_ADDR	192.168.1.2

SERVER_ADMIN	[no address given]
SERVER_NAME	richcookhomemac.local
SERVER_PORT	80
SERVER_SIGNATURE	<ADDRESS>Apache/1.3.33 Server at richcookhomemac.local Port 80</ADDRESS>
SERVER_SOFTWARE	Apache/1.3.33 (Darwin) PHP/4.4.4
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/~rcook/index.php
SCRIPT_NAME	/~rcook/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /~rcook/index.php HTTP/1.1
Accept	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Encoding	gzip, deflate
Accept-Language	en
Connection	keep-alive
Cookie	PHPSESSID=1e254ed9e92104fac190f7f4a6818602
Host	www.email-me-if-you-need-myhostname.com
If-Modified-Since	Sun, 22 Jul 2007 04:45:02 GMT
User-Agent	Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/522.11 (KHTML, like Gecko) Version/3.0.2 Safari/522.12
HTTP Response Headers	
X-Powered-By	PHP/4.4.4
Keep-Alive	timeout=15, max=99
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

ctype

ctype functions	enabled
-----------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.13.1 OpenSSL/0.9.7l zlib/1.2.3

dbx

dbx support	enabled
dbx version	1.0.0
supported	MySQL ODBC PostgreSQL Microsoft SQL Server FrontBase Oracle 8 (oci8) Sybase-

databases	CT
-----------	----

Directive	Local Value	Master Value
dbx.colnames_case	unchanged	unchanged

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.118.2.37.2.4 2006/01/01 13:46:52 sniper Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

ftp

FTP support	enabled
--------------------	---------

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.130.2.13.2.1 2006/01/01 13:46:54 sniper Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20219

mbstring

Multibyte Support	enabled
Japanese support	enabled
Simplified chinese support	enabled
Traditional chinese support	enabled
Korean support	enabled
Russian support	enabled
Multibyte (japanese) regex support	enabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
----------------------	---------

Active Persistent Links	0
Active Links	0
Client API version	4.1.22
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	iodbc
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-liodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaulttirl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

overload

User-Space Object Overloading Support	enabled
---------------------------------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.6 06-Feb-2006

posix

Revision	\$Revision: 1.51.2.4.2.1 \$
----------	-----------------------------

session

Session Support	enabled
Registered save handlers	files user

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	3600	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<\$temp>	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	Off	Off

sockets

Sockets Support	enabled
-----------------	---------

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH

url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
-------------------	---------

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	1.95.6

zlib

ZLib Support	enabled
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name

Environment

Variable	Value
PATH	/bin:/sbin:/usr/bin:/usr/sbin:/usr/libexec:/System/Library/CoreServices
PWD	/
SHLVL	3
_	/usr/sbin/httpd

PHP Variables

Variable	Value
_REQUEST["PHPSESSID"]	1e254ed9e92104fac190f7f4a6818602
_COOKIE["PHPSESSID"]	1e254ed9e92104fac190f7f4a6818602
_SERVER["DOCUMENT_ROOT"]	/Library/WebServer/Documents
_SERVER["HTTP_ACCEPT"]	text/xml,application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_COOKIE"]	PHPSESSID=1e254ed9e92104fac190f7f4a6818602
_SERVER["HTTP_HOST"]	www.email-me-if-you-need-myhostname.com
_SERVER["HTTP_IF_MODIFIED_SINCE"]	Sun, 22 Jul 2007 04:45:02 GMT
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; PPC Mac OS X; en) AppleWebKit/522.11 (KHTML, like Gecko) Version/3.0.2 Safari/522.12

_SERVER["PATH"]	/bin:/sbin:/usr/bin:/usr/sbin:/usr/libexec:/System/Library/CoreServices
_SERVER["REMOTE_ADDR"]	70.132.4.228
_SERVER["REMOTE_PORT"]	58089
_SERVER["SCRIPT_FILENAME"]	/Users/rcook/Sites/index.php
_SERVER["SCRIPT_URI"]	http://richcookhomemac.local/~rcook/index.php
_SERVER["SCRIPT_URL"]	/~rcook/index.php
_SERVER["SERVER_ADDR"]	192.168.1.2
_SERVER["SERVER_ADMIN"]	[no address given]
_SERVER["SERVER_NAME"]	richcookhomemac.local
_SERVER["SERVER_PORT"]	80
_SERVER["SERVER_SIGNATURE"]	<ADDRESS>Apache/1.3.33 Server at richcookhomemac.local Port 80</ADDRESS>
_SERVER["SERVER_SOFTWARE"]	Apache/1.3.33 (Darwin) PHP/4.4.4
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/~rcook/index.php
_SERVER["SCRIPT_NAME"]	/~rcook/index.php
_SERVER["PATH_TRANSLATED"]	/Users/rcook/Sites/index.php
_SERVER["PHP_SELF"]	/~rcook/index.php
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["PATH"]	/bin:/sbin:/usr/bin:/usr/sbin:/usr/libexec:/System/Library/CoreServices
_ENV["PWD"]	/
_ENV["SHLVL"]	3
ENV[""]	/usr/sbin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.